Canvas Collage Nicolette Brunklaus Designer Collection by THE URGE TO EXPLORE SPACE





26 The reds

36 The greys

45 Collection overview

46 Colour palettes

47 Recolour options

51 Technical specifications





The designer

Nicolette Brunklaus. Born in 1959. Holds an Art degree from Academy of Art in Groningen. Has worked as a product designer since 1998. Exhibits art and design all over the world. Founder and art director of Brunklaus Amsterdam.

The collection

Canvas Collage is inspired by reflections on industry, just before the industrial revolution, when daily life was simple.

A tiny sample of worn linen, loosely woven and faded began Nicolette Brunklaus' creative process of mapping textures, colours and memories. Her love of rich textile structures is obvious, and the linen sample represents a piece of industrial craft history.

Today, industry and efficiency have replaced this laborious craft yet Nicolette Brunklaus utilises its nostalgia by digitising it and

collaging the linen texture in various modern ways. The woven structure is applied to all variations of the Canvas Collage collection, layered over dried dahlia flowers, in a patchwork of colours and combined with new forms.

Nicolette Brunklaus' work is tied to memories that, once translated into designs, become universal. In this way, her work personally touches the people who interact and relate to them. Canvas Collage is a continuation of this approach, creating beautiful atmospheres that are emotionally relatable.

5 designs

Canvas Collage represents a collection of 5 designs that can be integrated. Each of the designs stands alone beautifully and when combined they seamlessly interlace with each other to create an atmosphere of effortless comfort in a hotel, office or home.

The collection is timeless. Nicolette Brunklaus manipulates her own photographs to create unique designs and the images are chosen for their colour palette and poetic meaning. In this way, the designs remain unaffected by popular interest while staying at the forefront of thought-provoking contemporary design.

The designs are unique and intimate with a strong graphic identity. Rewoven is a very collaged design inspired by tapestries by Corbusier in Chandigarh, India. Each mixture of layers in colours forms a new pattern. Octo mixes a geometrical pattern with the

rough expression of linen and brings a completely new look with an ambiguous feeling. Tradition is built up as a geometric grid with a twist in the colour combination transforming it to either a modern or a classical look. Linen reflects the woven structures of worn fabrics from long ago. The floral print Faded Dahlia illustrates the beauty of dried flowers that are photographed, abstracted and collaged in a rich realistic way and combined with the structure of linen.

Canvas Collage comes in 7 different qualities and is available as broadloom, corridors, runners and rugs. This catalogue embraces 4 colour themes: beige, blue, red and grey. However, it is possible to make recolourations for most of the designs. Learn how to recolour on page 47.

Feel inspired to explore space.








RF52752801 REWOVEN K5275




RF52752808 LINEN K5275



GB1 GB2 AC13

Recolour from light to dark

RF52752816 TRADITION K5275 w: 195.1 cm x l: 195.1 cm



RF52752820 OCTO K5275 w: 195.1 cm x l: 243.8 cm









RF52752845 OCTO RUNNER

K5275

K5275

K5275

w: 195.1 cm x l: 195.1 cm

w: 130 cm x l: 195.1 cm

CORNER DESIGN: RF52752828 REWOVEN CORRIDOR CORNER







Tone 4 Tone 1 Tone 2 Tone 3 Recolour from light to dark

RF52752805 REWOVEN MONO

w: 390.1 cm x l: 195.1 cm





Recolour from light to dark

VB52752841 REWOVEN RUG

K5275

w: 140 cm x l: 200 cm / w: 165 cm x l: 235 cm / w: 200 cm x l: 300 cm















Tone 4

K5275

VB52752865 FADED DAHLIA RUG

w: 140 cm x l: 200 cm / w: 165 cm x l: 235 cm / w: 200 cm x l: 300 cm






No recolour possible

RF52752847 OCTO CORRIDOR w: 195.1 cm x I: 243.8 cm

K5275

RF52752845 OCTO RUNNER w: 130 cm x l: 243.8 cm K5275

CORNER DESIGN: RF52752848 OCTO CORRIDOR CORNER







No recolour possible

No recolour possible


RF52752809 LINEN K5275 w: 195.1 cm x l: 195.1 cm





Recolour from light to dark


Floorscape inspiration








RF52752802 REWOVEN K5275



RF52752806 REWOVEN MONO K5275 w: 390.1 cm x l: 195.1 cm



AC42 GB5 Recolour from light to dark

RF52752811 LINEN
w: 195.1 cm x l: 195.1 cm

400 cm

AC42 AC41 GB5

Recolour from light to dark

w: 130 cm x l: 195.1 cm

Background

Tone 1

CORNER D.: RF52752830 REWOVEN RUNNER CORNER


CORNER DESIGN: RF52752832 REWOVEN CORRIDOR CORNER





Recolour from light to dark

RF52752821 OCTO K5275 w: 195.1 cm x l: 243.8 cm





CORNER D.: RF52752850 OCTO RUNNER CORNER

















VB52752865 FADED DAHLIA RUG

VB52752842 REWOVEN RUG K5275 w: 140 cm x l: 200 cm / w: 165 cm x l: 235 cm / w: 200 cm x l: 300 cm K5275



Background













Tone 4





RF52752803 REWOVEN K5275







RF52752855 OCTO CORRIDOR w: 195.1 cm x l: 243.8 cm

K5275

RF52752853 OCTO RUNNER w: 130 cm x l: 243.8 cm K5275

K5275

V. 100 CITT X 1. 2-0.0 CITT

CORNER DESIGN: RF52752856 OCTO CORRIDOR CORNER





No recolour possible

RF52752812 LINEN

No recolour possible

W: 195.1 cm x I: 195.1 cm


W: 195.1 cm x I: 195.1 cm

Approx. 100 cm




Recolour from light to dark

RF52752822 OCTO K5275 w: 195.1 cm x I: 243.8 cm





K5275 RF52752824 FADED DAHLIA





VB52752843 REWOVEN RUG w: 140 cm x l: 200 cm / w: 165 cm x l: 235 cm / w: 200 cm x l: 300 cm



K5275

CORNER DESIGN: RF52752836 REWOVEN CORRIDOR CORNER







Background



Recolour from light to dark


RF52752813 LINEN K5275 w: 195.1 cm x l: 195.1 cm





Recolour from light to dark


Floorscape inspiration







RF52752804 REWOVEN K5275




RF52752807 REWOVEN MONO K5275 w: 390.1 cm x l: 195.1 cm K5275



AC43 GB5 Recolour from light to dark

RF52752814 LINEN K5275



GB2 AC4

Recolour from light to dark

w: 130 cm x l: 195.1 cm

CORNER D.: RF52752838 REWOVEN RUNNER CORNER

w: 195.1 cm x l: 195.1 cm

CORNER DESIGN: RF52752840 REWOVEN CORRIDOR CORNER





Recolour from light to dark

Background

Tone 1



CORNER D.: RF52752857 OCTO RUNNER CORNER










RF52752815 LINEN K5275 w: 195.1 cm x I: 195.1 cm





Recolour from light to dark

VB52752844 REWOVEN RUG K5275 w: 140 cm x l: 200 cm / w: 165 cm x l: 235 cm / w: 200 cm x l: 300 cm





Background

Tone 1









RF52752823 OCTO w: 195.1 cm x l: 243.8 cm K5275





No recolour possible

CORNER D.: RF52752862 FADED DAHLIA R. CORNER











No recolour possible



Collection overview

faded dahlia

FADED DAHLIA



RF52752824

FADED DAHLIA RUG



VB52752865

FADED DAHLIA CORRIDOR



RF52752863

FADED DAHLIA RUNNER



linen

LINEN



RF52752808 Page 10



RF52752809 Page 16



RF52752810 Page 22



RF52752811 Page 20



RF52752812 Page 30



RF52752813 Page 34



RF52752814



RF52752815 Page 41

octo

осто



RF52752820 Page 11



RF52752821 Page 22



RF52752822 Page 31



RF52752823 Page 42

OCTO CORRIDOR



RF52752847



RF52752851



RF52752855



RF52752859

OCTO RUNNER



RF52752845



RF52752849 Page 23



RF52752853



RF52752857

rewoven

REWOVEN



RF52752801



RF52752802



RF52752803



RF52752804

REWOVEN MONO



RF52752805





RF52752807

REWOVEN CORRIDOR



RF52752827 Page 14



RF52752831



RF52752835 Page 34



RF52752839 Page 39

REWOVEN RUNNER



RF52752825



RF52752829



RF52752833



RF52752837

REWOVEN RUG



VB52752841 Page 15



VB52752842 Page 25



VB52752843 Page 33



VB52752844 Page 42

tradition

TRADITION



RF52752816



RF52752817




RF52752818




RF52752819

Colour palettes


colour palette 5220



colour palette 5275



colour palette 5285



colour palette 5295



Recolour options













Recolour from light to dark







Identification characteristics	Standard	Highline 80/20 1900 WT	Highline 80/20 1400 WT		
onstruction ISO 2424		Tufted cut pile	Tufted cut pile		
Pile material	DIR 96/73, 96/74	80% wool, 20% polyamide	80% wool, 20% polyamide		
Colouration	-	Millitron	Millitron		
Backing	eTL	WT - Woven textile	WT - Woven textile		
Dimensions	ISO 3018	Approx. 400 cm	Approx. 400 cm		
Gauge	ISO 2424	1/8	1/8		
Total thickness	ISO 1765	Approx. 10.0 mm	Approx. 8.5 mm		
Surface pile thickness	ISO 1766	Approx. 7.5 mm	Approx. 6.0 mm		
Tufts	ISO 1763	Approx. 167,000 per m²	Approx. 137,000 per m²		
Total carpet weight	ISO 8543	Approx. 3,350 g/m²	Approx. 2,900 g/m²		
Pile yarn weight	eTL	Approx. 1,900 g/m²	Approx. 1,400 g/m²		
Surface pile density	ISO 8543	Approx. 0.200 g/cm³	Approx. 0.170 g/cm³		
ege soil protection	eTL	Yes	Yes		
Moth-proofed	eTL	Yes	Yes		
Performance characte	ristics				
Performance areas	EN1307	Class 33 - Commercial - Heavy	Class 33 - Commercial - Heavy		
Castor chair suitability	EN 985	-	=		
Suitability for use on stairs	EN 1963	-	Yes		
Static control	eTL	Permanently antistatic	Permanently antistatic		
Suitability for underfloor heating	ISO 8302	-	Yes		
Acou. insu. from impact noise	EN ISO 717-2/eTL	29 dB	31 dB		
Acoustical absorption	ISO 354/eTL	0.30 aW	0.25 aW		
Safety and environmer	ntal characteristics				
Fire classifications	DIBT AbZ. no EN 13501-1 Euroclass IMO MK Godkendelse VKF/AEAI	Z-156.601-479 C _{fi} s1 - Approved Approved	Z-156.601-479 B _{il} -s1 Certified Approved Approved		
Indoor climate	BASTA DIM Certificate Emissions dans l'air intériur GECA Green Label Plus		Registered No. 006 A+/A+ - Approved		
Environmental profile	Bre BREEAM-NOR Byggvarudeklaration Cradle to Cradle Certified™ Environmental Product Declaration LEED	- - - Silver - Qualified	- BVD 3 Silver - Qualified		
CE Labeling	EN 14041	Certified	Certified		
Manufacturer characte	eristics				
Quality management	ISO 9001	Audited and verified by Bureau V	Audited and verified by Bureau Veritas Certification		
Environmental management	ISO 14001	Audited and verified by Bureau V	Audited and verified by Bureau Veritas Certification		
Eco management	EMAS	Audited and verified by Bureau V	Audited and verified by Bureau Veritas Certification		
Occupational Health & Safety	DS/OHSAS 18001	Audited and verified by Bureau V	Audited and verified by Bureau Veritas Certification		
Corporate Social Responsibility	DS 49001	Audited and verified by Bureau V	Audited and verified by Bureau Veritas Certification		
Carpet Recycling UK	Member	www.carpetrecyclinguk.com			

For full technical specs and installation and maintenance guides see egecarpets.com

Highline 80/20 1100 WT	Highline 1100 WT	Highline 910 WT	Highline 750 WT	Highline Loop WT
Tufted cut pile	Tufted cut pile	Tufted cut pile	Tufted cut pile	Tufted loop pile
80% wool, 20% polyamide	100% regenerated ECONYL® polyamide	100% polyamide	100% polyamide	100% polyamide
Millitron	Millitron	Millitron	Millitron	Millitron
WT - Woven textile	WT - Woven textile	WT - Woven textile	WT - Woven textile	WT - Woven textile
Approx. 400 cm	Approx. 400 cm	Approx. 400 cm	Approx. 400 cm	Approx. 400 cm
1/8	1/8	1/10	1/8	1/10
Approx. 8.0 mm	Approx. 8.0 mm	Approx. 7.5 mm	Approx. 7.0 mm	Approx. 7.0 mm
Approx. 5.5 mm	Approx. 5.5 mm	Approx. 5.0 mm	Approx. 4.5 mm	Approx. 4.0 mm
Approx. 120,000 per m²	Approx. 199,000 per m²	Approx. 222,000 per m²	Approx. 127,000 per m²	Approx. 153,000 per m²
Approx. 2,600 g/m ²	Approx. 2,550 g/m ²	Approx. 2,350 g/m²	Approx. 2,250 g/m ²	Approx. 2,200 g/m²
Approx. 1,100 g/m²	Approx. 1,100 g/m²	Approx. 910 g/m²	Approx. 760 g/m²	Approx. 680 g/m²
Approx. 0.150 g/cm³	Approx. 0.155 g/cm³	Approx. 0.150 g/cm³	Approx. 0.130 g/cm³	Approx. 0.115 g/cm³
Yes	Yes	Yes	Yes	Yes
Yes	-	-	-	-
			-	
Class 32 - Commercial - General	Class 33 - Commercial - Heavy	Class 33 - Commercial - Heavy	Class 32 - Commercial - General	Class 33 - Commercial - Heavy
-	Continuous use	Continuous use	-	Continuous use
Yes	Yes	Yes	-	Yes
Permanently antistatic	Permanently antistatic	Permanently antistatic	Permanently antistatic	Permanently antistatic
Yes	Yes	Yes	Yes	Yes
27 dB	27 dB	28 dB	26 dB	24 dB
0.25 aW	0.20 aW	0.20 aW	0.20 aW	0.20 aW
Z-156.601-479 B _{fi} -s1 Certified Approved	Z-156.601-441 C _{ff} -s1 - Approved	Z-156.601-441 C _{ff} -s1 - Approved	Z-156.601-441 C _{ff} s1 - Approved	Z-156.601-440 C _{ff} -s1 - Approved
Approved	Approved	Approved	Approved	Approved
Registered No. 006 A+/A+ - Approved	Registered No. 006 A+/A+ Approved Approved	Registered No. 006 A+/A+ Approved Approved	Registered No. 006 A+/A+ Approved Approved	Registered No. 006 A+/A+ Approved Approved
- - BVD 3 Silver - Qualified	ENP434 Approved with WTA backing BVD 3 Silver EPD-ege-2013103-CBC1-EN Qualified	- Approved with WTA backing BVD 3 Silver - Qualified	ENP434 Approved with WTA backing BVD 3 Silver EPD-ege-20150180-CBC1-EN Qualified	- BVD 3 Silver EPD-ege-20150030-CBC1-EN Qualified
 Certified	Certified	Certified	Certified	Certified

Technical specifications

Canvas Collage is developed in one of ege's standard colour palettes: K5275. Due to the unique look of the designs, more accent colours are used than normally.

Recolouration is possible for the following designs: Rewoven, blue Octo, Tradition and Linen. Recolouration is not possible for beige, red and grey Octo and Faded Dahlia. This is marked throughout the catalogue.

The 3-4 colours written next to the extract below the patterns are representative for up to 8 colours in each area going from light to dark indicated in a gradient bar shown next to the colour codes.

All this with:

- 5 unique designs
- Recolour options (see page 47)
- No minimum order requirements
- 7 standard qualities (see technical specifications pages 51-52)
- Undisputed performance standard EN 1307
- Performance classification to fit any need; heavy & extra heavy use
- 24-hour sample service (sample size 100 cm x 100 cm)
- Dispatch within 2 weeks from receipt of order for broadloom
- Dispatch within 3 weeks from receipt of order for rugs

Broadloom, corridors, runners and rugs

Canvas Collage is available in a number of qualities and sizes making the collection perfectly suitable for use in almost any interior design concept.

Broadloom, corridor, runner and rug design numbers are shown above each design: RFxxxxxxxx for broadloom, corridors and runners and VBxxxxxxxx for rugs.

How to order a rug

To order rugs please follow these 3 steps:

1. Choose design number

Ex. VB5275xxxx

2. Choose quality

A total of 7 qualities are at your disposal:

- Highline 80/20 1900	17092xx
- Highline 80/20 1400	17070xx
- Highline 80/20 1100	17080xx
- Highline 1100	17040xx
- Highline 910	17032xx
- Highline 750	17025xx
- Highline Loop	17095xx

Rugs are only available with WT backing.

3. Choose size

The Canvas Collage rugs are available in various sizes to match your project:

 140 x 200 cm
 xxxxxx10

 165 x 235 cm
 xxxxxx20

 200 x 300 cm
 xxxxxx30

Example

The client requires design VB52752865 on page 15, in Highline 1100 (17040xx) and in the size $140 \times 200 \text{ cm}$ (xxxxx10). Therefore, the following order numbers should be used: VB52752865 and 1704010.

Rugs are supplied with predefined and colour matching ege overlock as standard. To change overlock colour and border type, please contact ege Customer Care.

